

Castle

Carisbrooke Road

Code: Sgl/120412 Id: 5

Species: Sorbus torminalis
Common: Sorbus (Wild Service Tree)

Felled: No Proposed: No

Tree works: 23/04/2021 at: 18:00 By: CGM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Water as per specification (InProgress)

Tree works: 02/10/2020 at: 16:01 By: MER

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Planting specification C (Triple stake)

Inspection: 17/03/2020 at: 11:04 By: KM

Conditions: None recorded..

Recommendations:

Planting specification C (Triple stake)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Work check: 19/03/2019 at: 11:58 By: SYS

Conditions: None recorded..

Recommendations:

None recorded..

Inspection: 15/01/2014 at: 09:53 By: MM

Conditions: None recorded..

Recommendations:

1 stake (2.4m)

Bare Root

Top up mulch

Remove Tree Gator

tie

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: None recorded..

Recommendations:

1 stake (2.4m)

Bare Root

Top up mulch

Remove Tree Gator

tie

Tree works carried out:

Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/10/2012 at: 10:36 By: KM

Conditions: None recorded..

Recommendations:

1 stake (2.4m)

Bare Root

Top up mulch

Remove Tree Gator

tie

Tree works: 08/11/2010 at: 14:58 By: UNS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

1 stake (2.4m) (Ordered)

Bare Root (Ordered)

Top up mulch (Ordered)

Remove Tree Gator (Ordered)

tie (Ordered)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 30/07/2010 at: 12:04 By: KM

Conditions: None recorded..

Recommendations:

1 stake (2.4m)

Bare Root

Top up mulch

Remove Tree Gator

tie

Tree works carried out:

None recorded..

Tree works: 02/12/2009 at: 12:00 By: SPL

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

1 stake (2.4m) (Ordered)

Bare Root (Ordered)

Top up mulch (Ordered)

strapping (Ordered)

Inspection: 02/12/2009 at: 10:36 By: MM

Conditions: None recorded..

Recommendations:

1 stake (2.4m)

Bare Root

Top up mulch

strapping

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 09/09/2009 at: 08:08 By: KM

Conditions: None recorded..

Recommendations:

1 stake (2.4m)

Bare Root

Top up mulch
strapping

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 09/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120416 Id: 4

Species: Acer campestre 'Elsrijk'
Common: Maple (Field Cv.)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 11:01 By: KM

Conditions: Good condition

Recommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Good condition

Recommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Tree works: 02/02/2017 at: 16:05 By: CGM

Conditions: Good condition

Recommendations:
None recorded..Tree works carried out:
Remove stake

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 17/01/2017 at: 13:24 By: MM

Conditions: Good condition

Recommendations:

Remove stake

Tree works: 19/09/2016 at: 12:14 By: CGM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 28/01/2013 at: 16:12 By:

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

1 stake (2.4m) (Ordered)

Bare Root (Ordered)

Top up mulch (Ordered)

Remove Tree Gator (Ordered)

tie (Ordered)

Inspection: 02/10/2012 at: 10:34 By: KM

Conditions: None recorded..

Recommendations:

1 stake (2.4m)

Bare Root

Top up mulch

Remove Tree Gator

tie

Inspection: 30/07/2010 at: 12:05 By: KM

Conditions: None recorded..

Recommendations:

Top up mulch

Remove Tree Gator

Tree works carried out:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 02/12/2009 at: 12:00 By: SPL

Conditions: None recorded..

Recommendations:

1 stake (2.4m)

Bare Root

Top up mulch

Remove Tree Gator

tie

Tree works carried out:

1 stake (2.4m) (Ordered)

Bare Root (Ordered)

Top up mulch (Ordered)

Remove Tree Gator (Ordered)

tie (Ordered)

Inspection: 09/09/2009 at: 08:10 By: KM

Conditions: None recorded..

Recommendations:

1 stake (2.4m)

Bare Root

Top up mulch

Remove Tree Gator

tie

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 09/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120420 Id: 6

Species: Sorbus torminalis
Common: Sorbus (Wild Service Tree)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 10:59 By: KM

Conditions: Major basal wound - good occlusion on
wound 17.3.20 km
Good condition
Minor leanRecommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Major basal wound
Fair conditionRecommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:14 By: CGM

Conditions: Major basal wound
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: Major basal wound
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Inspection: 02/10/2012 at: 10:34 By: KM

Conditions: Major basal wound
Fair condition

Recommendations:
None recorded..

Inspection: 02/12/2009 at: 10:37 By: MM

Conditions: Major basal wound
Fair condition

Recommendations:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Tree works: 09/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120424 Id: 7

Species: Acer campestre
Common: Maple (Field)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 10:54 By: KM

Conditions: Good condition

Recommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Good condition

Recommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:14 By: CGM

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Inspection: 02/12/2009 at: 10:38 By: MM

Conditions: Good condition

Recommendations:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 09/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120428 Id: 8

Species: Acer campestre
Common: Maple (Field)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 10:51 By: KM

Conditions: Good condition
Minor stem woundRecommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Good condition
Minor stem woundRecommendations:
None recorded..
Tree works carried out:
Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:14 By: CGM

Conditions: Good condition
Minor stem wound

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: Good condition
Minor stem wound

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Inspection: 02/12/2009 at: 10:40 By: MM

Conditions: Good condition
Minor stem wound

Recommendations:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 09/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120484 Id: 10

Species: Prunus x subhirtella 'Autumnalis'
Common: Prunus (Rosebud Cherry Cv.)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 10:46 By: KM

Conditions: Asymmetrical crown

Fair condition

Incomplete inspection - basal area
obstructionIncomplete inspection - rooting area
obstruction

Recommendations:

None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Incomplete inspection undertaken -
ivy covered

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification - ivy covered

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:14 By: CGM

Conditions: Incomplete inspection undertaken -
ivy covered

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification - ivy covered

Inspection: 15/01/2014 at: 10:01 By: MM

Conditions: Incomplete inspection undertaken -
ivy covered

Recommendations:
None recorded..

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Fair condition

Recommendations:
None recorded..

Tree works carried out:
C/O - remove ivy

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/12/2009 at: 11:30 By: MM

Conditions: Fair condition

Recommendations:

C/O - remove ivy

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 09/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120488 Id: 82

Species: Aesculus hippocastanum 'Baumanii'
Common: Aesculus (Horse Chestnut Cv.)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 15:23 By: KM

Conditions: Bark exudations
Fair condition
Primary limb bark inclusions
Minor root damage

Recommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Bark exudations
Fair condition
Primary limb bark inclusions
Minor root damage

Recommendations:
None recorded..
Tree works carried out:
Combined Proactive Specification

Castle ... (contd)..

Carisbrooke Road ... (contd)..

Tree works: 19/09/2016 at: 12:14 By: CGM

Conditions: Bark exudations
Fair condition
Primary limb bark inclusions
Minor root damage

Recommendations:

None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: Bark exudations
Fair condition
Primary limb bark inclusions
Minor root damage

Recommendations:

None recorded..

Tree works carried out:
Combined Proactive Specification

Inspection: 02/12/2009 at: 11:31 By: MM

Conditions: Bark exudations
Fair condition
Primary limb bark inclusions
Minor root damage

Recommendations:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 09/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120492 Id: 16

Species: **Void**

Common: Void

Felled: Yes Proposed: No

Inspection: 28/03/2017 at: 14:27 By: MM

Conditions: Bark exudations
Fair conditionRecommendations:
None recorded..

Tree works: 02/02/2017 at: 16:05 By: CGM

Conditions: Bark exudations
Fair conditionRecommendations:
None recorded..Tree works carried out:
Remove deadwood

Inspection: 17/01/2017 at: 14:48 By: MM

Conditions: Bark exudations
Fair conditionRecommendations:
Remove deadwood

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:14 By: CGM

Conditions: Bark exudations
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: Bark exudations
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Bark exudations
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Standard maintenance (TMP)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/12/2009 at: 11:28 By: MM

Conditions: Bark exudations
Fair condition

Recommendations:
Standard maintenance (TMP)

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:
None recorded..
Tree works carried out:
None recorded..

Tree works: 09/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:
None recorded..
Tree works carried out:
None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:
None recorded..
Tree works carried out:
Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120496 Id: 15

Species: Quercus robur
Common: Oak (English)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 15:28 By: KM

Conditions: Good condition

Recommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: None recorded..

Recommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Inspection: 17/01/2017 at: 13:28 By: MM

Conditions: None recorded..

Recommendations:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:14 By: CGM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 28/01/2013 at: 16:13 By:

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

2 stake (2.4m) (Ordered)

Containerised (Ordered)

Top up mulch (Ordered)

strapping (Ordered)

Remove Tree Gator (Ordered)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/10/2012 at: 10:58 By: KM

Conditions: None recorded..

Recommendations:

2 stake (2.4m)

Containerised

Top up mulch

strapping

Remove Tree Gator

Tree works: 08/11/2010 at: 14:58 By: UNS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

2 stake (2.4m) (Ordered)

Bare Root (Ordered)

Top up mulch (Ordered)

strapping (Ordered)

Remove Tree Gator (Ordered)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 30/07/2010 at: 12:11 By: KM

Conditions: None recorded..

Recommendations:

2 stake (2.4m)

Bare Root

Top up mulch

strapping

Remove Tree Gator

Tree works carried out:

None recorded..

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Bark necrosis
Poor condition

Recommendations:

None recorded..

Tree works carried out:

Remove tree for replant

Inspection: 02/12/2009 at: 11:21 By: MM

Conditions: Bark necrosis
Poor condition

Recommendations:

Remove tree for replant

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 09/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120508 Id: 14

Species: Betula pendula
Common: Birch (Silver)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 15:26 By: KM

Conditions: Minor basal wound
Fair conditionRecommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Minor basal wound
Fair conditionRecommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:14 By: CGM

Conditions: Minor basal wound
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: Minor basal wound
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Minor basal wound
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Standard maintenance (TMP)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/12/2009 at: 11:26 By: MM

Conditions: Minor basal wound
Fair condition

Recommendations:
Standard maintenance (TMP)

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:
None recorded..
Tree works carried out:
None recorded..

Tree works: 09/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:
None recorded..
Tree works carried out:
None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:
None recorded..
Tree works carried out:
Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Grp/120512 Id: G1

Species: Various species

Common: Various species

Felled: No Proposed: No

Group Info:

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 19/09/2016 at: 12:14 By: CGM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Crown lift over foot/cyclepath to 3m (x 0 tree)

Inspection: 02/12/2009 at: 11:59 By: MM

Conditions: None recorded..

Recommendations:

Crown lift over foot/cyclepath to 3m (x 0 tree)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120532 Id: 18

Species: Betula pendula
Common: Birch (Silver)

Felled: No Proposed: No

Tree works: 01/03/2021 at: 14:17 By: SPL

Conditions: Fair condition
Minor stem wound

Recommendations:

None recorded..

Tree works carried out:

Sever and strip ivy up to 1 metre above ground level
(Ordered)

Inspection: 17/03/2020 at: 15:19 By: KM

Conditions: Fair condition
Minor stem wound

Recommendations:

Sever and strip ivy up to 1 metre above ground level

Castle ... (contd)..

Carisbrooke Road ... (contd)..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Fair condition
Minor stem wound

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 19/09/2016 at: 12:15 By: CGM

Conditions: Fair condition
Minor stem wound

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Inspection: 15/01/2014 at: 10:05 By: MM

Conditions: Fair condition
Minor stem wound

Recommendations:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: Fair condition
Minor stem wound

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Inspection: 02/12/2009 at: 11:53 By: MM

Conditions: Fair condition
Minor stem wound

Recommendations:
None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:
None recorded..

Tree works carried out:
Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120536 Id: 19

Species: Betula utilis
Common: Birch (Himalayan)

Felled: No Proposed: No

Tree works: 01/03/2021 at: 14:17 By: SPL

Conditions: Good condition
Incomplete inspection - basal area
obstruction
Incomplete inspection - trunk area
obstruction

Recommendations:

None recorded..

Tree works carried out:

Sever and strip ivy up to 1 metre above ground level
(Ordered)

Inspection: 17/03/2020 at: 15:18 By: KM

Conditions: Good condition
Incomplete inspection - basal area
obstruction
Incomplete inspection - trunk area
obstruction

Recommendations:

Sever and strip ivy up to 1 metre above ground level

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Incomplete inspection undertaken

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 19/09/2016 at: 12:15 By: CGM

Conditions: Incomplete inspection undertaken

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Inspection: 15/01/2014 at: 10:06 By: MM

Conditions: Incomplete inspection undertaken

Recommendations:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: Incomplete inspection undertaken

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Incomplete inspection undertaken

Recommendations:

None recorded..

Tree works carried out:

C/O - remove ivy

Inspection: 02/12/2009 at: 11:47 By: MM

Conditions: Incomplete inspection undertaken

Recommendations:

C/O - remove ivy

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120540 Id: 17

Species: Salix fragilis
Common: Willow (Crack)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 15:11 By: KM

Conditions: Basal bark inclusion
Fair condition
Multi-stemmedRecommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Multi-stemmed

Recommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Inspection: 17/01/2017 at: 14:48 By: MM

Conditions: Multi-stemmed

Recommendations:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:15 By: CGM

Conditions: Multi-stemmed

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Inspection: 15/01/2014 at: 10:04 By: MM

Conditions: Multi-stemmed

Recommendations:

None recorded..

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: Multi-stemmed

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Multi-stemmed

Recommendations:

None recorded..

Tree works carried out:

Coppice

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/12/2009 at: 11:45 By: MM

Conditions: Multi-stemmed

Recommendations:

Coppice

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120542 Id: 80

Species: **Void**

Common: Void

Felled: Yes Proposed: No

Inspection: 15/01/2014 at: 10:03 By: MM

Conditions: Multi-stemmed

Recommendations:
None recorded..

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: Multi-stemmed

Recommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Multi-stemmed

Recommendations:

None recorded..

Tree works carried out:

Coppice - partially collapsed

Inspection: 02/12/2009 at: 11:54 By: MM

Conditions: Multi-stemmed

Recommendations:

Coppice - partially collapsed

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120543 Id: 81

Species: **Void**

Common: Void

Felled: Yes Proposed: No

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: Multi-stemmed

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Multi-stemmed

Recommendations:

None recorded..

Tree works carried out:

Coppice - partially collapsed, ivy covered

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/12/2009 at: 11:55 By: MM

Conditions: Multi-stemmed

Recommendations:

Coppice - partially collapsed, ivy covered

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120544 Id: 21

Species: Betula utilis
Common: Birch (Himalayan)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 15:07 By: KM

Conditions: Good condition

Recommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Good condition

Recommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:15 By: CGM

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Inspection: 15/01/2014 at: 10:06 By: MM

Conditions: Good condition

Recommendations:

None recorded..

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

C/O - remove ivy

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/12/2009 at: 11:38 By: MM

Conditions: Good condition

Recommendations:

C/O - remove ivy

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120552 Id: 20

Species: Betula utilis
Common: Birch (Himalayan)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 15:09 By: KM

Conditions: Good condition

Recommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Good condition

Recommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:15 By: CGM

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Inspection: 15/01/2014 at: 10:07 By: MM

Conditions: Good condition

Recommendations:

None recorded..

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

C/O - remove ivy

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/12/2009 at: 11:36 By: MM

Conditions: Good condition

Recommendations:

C/O - remove ivy

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120560 Id: 22

Species: Betula pendula
Common: Birch (Silver)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 15:04 By: KM

Conditions: Good condition

Recommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Good condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:15 By: CGM

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Inspection: 15/01/2014 at: 10:07 By: MM

Conditions: Good condition

Recommendations:

None recorded..

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

C/O - remove ivy

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/12/2009 at: 12:01 By: MM

Conditions: Good condition

Recommendations:

C/O - remove ivy

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120572 Id: 32

Species: Aesculus hippocastanum
Common: Aesculus (Horse Chestnut)

Felled: No Proposed: No

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Inspection: 17/01/2017 at: 13:28 By: MM

Conditions: Good condition

Recommendations:

None recorded..

Tree works: 19/09/2016 at: 12:15 By: CGM

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Inspection: 02/12/2009 at: 11:15 By: MM

Conditions: Good condition

Recommendations:

None recorded..

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 09/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120576 Id: 78

Species: Quercus robur
Common: Oak (English)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 15:33 By: KM

Conditions: Good condition

Recommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: None recorded..

Recommendations:
None recorded..Tree works carried out:
Combined Proactive Specification - Grub out existing
dead/declining tree

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 24/04/2019 at: 08:22 By: MER

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Top up mulch - Grub out existing dead/declining tree

Remove Tree Gator - Grub out existing dead/declining tree

Inspection: 26/09/2018 at: 16:12 By: KM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works: 02/05/2018 at: 15:07 By: MER

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Water as per specification

Tree works: 20/02/2018 at: 15:29 By: SPL

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Planting specification C (Triple stake)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 01/06/2017 at: 13:19 By: RM

Conditions: None recorded..

Recommendations:

Planting specification C (Triple stake)

Inspection: 15/01/2014 at: 09:55 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 28/01/2013 at: 16:14 By:

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

2 stake (2.4m) (Ordered)

Containerised (Ordered)

Top up mulch (Ordered)

strapping (Ordered)

Remove Tree Gator (Ordered)

Inspection: 02/10/2012 at: 10:56 By: KM

Conditions: None recorded..

Recommendations:

2 stake (2.4m)

Containerised

Top up mulch

strapping

Remove Tree Gator

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 08/11/2010 at: 14:58 By: UNS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

2 stake (2.4m) (Ordered)

Bare Root (Ordered)

Top up mulch (Ordered)

strapping (Ordered)

Remove Tree Gator (Ordered)

Inspection: 30/07/2010 at: 12:12 By: KM

Conditions: None recorded..

Recommendations:

2 stake (2.4m)

Bare Root

Top up mulch

strapping

Remove Tree Gator

Tree works carried out:

None recorded..

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Bark necrosis - extensive areas on
trunk and branches

Poor condition

Recommendations:

None recorded..

Tree works carried out:

Remove tree for replant

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/12/2009 at: 11:10 By: MM

Conditions: Bark necrosis - extensive areas on
trunk and branches
Poor condition

Recommendations:
Remove tree for replant

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:
None recorded..

Tree works carried out:
None recorded..

Tree works: 09/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:
None recorded..

Tree works carried out:
None recorded..

Tree works: 02/05/2001 at: 12:00 By: WOR

Conditions: None recorded..

Recommendations:
None recorded..

Tree works carried out:
Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120580 Id: 79

Species: Stump

Common: Stump

Felled: Yes Proposed: No

Tree works: 17/02/2014 at: 12:25 By: SPL

Conditions: Bark exudations
Fair conditionRecommendations:
None recorded..Tree works carried out:
Remove stump

Inspection: 15/01/2014 at: 09:56 By: MM

Conditions: Bark exudations
Fair conditionRecommendations:
Remove stump

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Bark exudations
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Bark exudations
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Standard maintenance (TMP)

Inspection: 02/12/2009 at: 11:18 By: MM

Conditions: Bark exudations
Fair condition

Recommendations:
Standard maintenance (TMP)

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:
None recorded..

Tree works carried out:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 09/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120588 Id: 37

Species: Aesculus hippocastanum 'Baumanii'
Common: Aesculus (Horse Chestnut Cv.)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 13:55 By: KM

Conditions: Bark necrosis - extensive areas on
trunk and branches - pseudomonas
Poor condition - physiological and
structural - pseudomonas
Poor extension growth

Recommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Bark necrosis - extensive areas on
trunk and branches - pseudomonas
Poor condition - physiological and
structural - pseudomonas

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification - physiological and
structural - pseudomonas

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 17/01/2017 at: 14:36 By: MM

Conditions: Bark necrosis - extensive areas on trunk and branches - pseudomonas
Poor condition - physiological and structural - pseudomonas

Recommendations:
None recorded..

Tree works: 19/09/2016 at: 12:15 By: CGM

Conditions: Bark necrosis - extensive areas on trunk and branches - pseudomonas
Poor condition - physiological and structural - pseudomonas

Recommendations:
Remove broken / lodging branch - fallen branch and split parent branch
Tree works carried out:
Combined Proactive Specification - fallen branch and split parent branch

Inspection: 15/01/2014 at: 09:58 By: MM

Conditions: Bark necrosis - extensive areas on trunk and branches - pseudomonas
Poor condition - physiological and structural - pseudomonas

Recommendations:
Remove broken / lodging branch - fallen branch and split parent branch

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 19/08/2013 at: 09:40 By: MM

Conditions: Bark necrosis - extensive areas on trunk and branches - pseudomonas
Poor condition - physiological and structural - pseudomonas

Recommendations:

Remove broken / lodging branch - fallen branch and split parent branch

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Bark necrosis - extensive areas on trunk and branches - pseudomonas
Poor condition - physiological and structural - pseudomonas

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification - physiological and structural - pseudomonas

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Bark necrosis - extensive areas on trunk and branches - pseudomonas
Poor condition - physiological and structural - pseudomonas

Recommendations:

None recorded..

Tree works carried out:

Standard maintenance (TMP)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/12/2009 at: 11:00 By: MM

Conditions: Bark necrosis - extensive areas on trunk and branches - pseudomonas
Poor condition - physiological and structural - pseudomonas

Recommendations:
Standard maintenance (TMP)

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:
None recorded..

Tree works carried out:
None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:
None recorded..

Tree works carried out:
Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120592 Id: 38

Species: Aesculus hippocastanum 'Baumanii'
Common: Aesculus (Horse Chestnut Cv.)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 13:59 By: KM

Conditions: Fair condition
Primary limb bark inclusions
Minor root damageRecommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Fair condition
Primary limb bark inclusions
Minor root damageRecommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Inspection: 17/01/2017 at: 14:37 By: MM

Conditions: Fair condition
Primary limb bark inclusions
Minor root damageRecommendations:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:15 By: CGM

Conditions: Fair condition
Primary limb bark inclusions
Minor root damage

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Fair condition
Primary limb bark inclusions
Minor root damage

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Inspection: 02/12/2009 at: 10:52 By: MM

Conditions: Fair condition
Primary limb bark inclusions
Minor root damage

Recommendations:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120596 Id: 31

Species: Fraxinus excelsior
Common: Ash (Common)

Felled: No Proposed: No

Tree works: 07/06/2021 at: 12:38 By: MER

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Crown reduce to clear lamp by 0.5-1m (Ordered)

Inspection: 17/03/2020 at: 13:46 By: KM

Conditions: Good condition

Recommendations:

Crown reduce to clear lamp by 0.5-1m

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:15 By: CGM

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Standard maintenance (TMP)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/12/2009 at: 10:57 By: MM

Conditions: Good condition

Recommendations:

Standard maintenance (TMP)

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Tree works: 18/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120600 Id: 30

Species: Sequoiadendron giganteum
Common: Wellingtonia (Common)

Felled: No Proposed: No

Tree works: 23/04/2021 at: 18:00 By: CGM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Water as per specification (InProgress)

Tree works: 02/10/2020 at: 16:01 By: MER

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Planting specification C (Triple stake)

Inspection: 17/03/2020 at: 14:03 By: KM

Conditions: None recorded..

Recommendations:

Planting specification C (Triple stake)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 15/01/2014 at: 09:58 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 28/01/2013 at: 16:15 By:

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

2 stake (2.4m) (Ordered)

Containerised (Ordered)

Top up mulch (Ordered)

strapping (Ordered)

Remove Tree Gator (Ordered)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/10/2012 at: 10:59 By: KM

Conditions: None recorded..

Recommendations:

2 stake (2.4m)

Containerised

Top up mulch

strapping

Remove Tree Gator

Tree works: 08/11/2010 at: 14:58 By: UNS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

2 stake (2.4m) (Ordered)

Bare Root (Ordered)

Top up mulch (Ordered)

strapping (Ordered)

Remove Tree Gator (Ordered)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 30/07/2010 at: 12:20 By: KM

Conditions: None recorded..

Recommendations:

2 stake (2.4m)

Bare Root

Top up mulch

strapping

Remove Tree Gator

Tree works carried out:

None recorded..

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Bark necrosis - extensive areas an
trunk and branches. some decay in
sapwood
Primary limb bark inclusions
Poor condition

Recommendations:

None recorded..

Tree works carried out:

Remove tree for replant

Inspection: 02/12/2009 at: 11:05 By: MM

Conditions: Bark necrosis - extensive areas an
trunk and branches. some decay in
sapwood
Primary limb bark inclusions
Poor condition

Recommendations:

Remove tree for replant

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 14/05/2007 at: 12:00 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 09/06/2004 at: 12:00 By: ELI

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

None recorded..

Tree works: 10/08/2000 at: 12:00 By: ETS

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Recommended Works - see Comments

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120602 Id: 29

Species: Aesculus hippocastanum 'Baumanii'
Common: Aesculus (Horse Chestnut Cv.)

Felled: Yes Proposed: No

Inspection: 17/03/2020 at: 14:23 By: KM

Conditions: Fair condition

Recommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Fair condition

Recommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:15 By: CGM

Conditions: Fair condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Fair condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Fair condition

Recommendations:

None recorded..

Tree works carried out:

Standard maintenance (TMP)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/12/2009 at: 11:07 By: MM

Conditions: Fair condition

Recommendations:

Standard maintenance (TMP)

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120760 Id: 23

Species: Salix fragilis
Common: Willow (Crack)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 14:56 By: KM

Conditions: Basal bark inclusion
Fair condition
Multi-stemmedRecommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Basal bark inclusion
Fair condition
Multi-stemmedRecommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Inspection: 17/01/2017 at: 14:47 By: MM

Conditions: Basal bark inclusion
Fair condition
Multi-stemmedRecommendations:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:16 By: CGM

Conditions: Basal bark inclusion
Fair condition
Multi-stemmed

Recommendations:

None recorded..

Tree works carried out:
Combined Proactive Specification

Inspection: 15/01/2014 at: 10:08 By: MM

Conditions: Basal bark inclusion
Fair condition
Multi-stemmed

Recommendations:

None recorded..

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Basal bark inclusion
Fair condition
Multi-stemmed

Recommendations:

None recorded..

Tree works carried out:
Combined Proactive Specification

Inspection: 02/12/2009 at: 13:16 By: MM

Conditions: Basal bark inclusion
Fair condition
Multi-stemmed

Recommendations:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120764 Id: 24

Species: Salix fragilis
Common: Willow (Crack)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 14:50 By: KM

Conditions: Basal bark inclusion
Fair condition
Multi-stemmedRecommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Basal bark inclusion
Fair condition
Multi-stemmedRecommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Inspection: 17/01/2017 at: 14:45 By: MM

Conditions: Basal bark inclusion
Fair condition
Multi-stemmedRecommendations:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:16 By: CGM

Conditions: Basal bark inclusion
Fair condition
Multi-stemmed

Recommendations:

None recorded..

Tree works carried out:
Combined Proactive Specification

Inspection: 15/01/2014 at: 10:08 By: MM

Conditions: Basal bark inclusion
Fair condition
Multi-stemmed

Recommendations:

None recorded..

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Basal bark inclusion
Fair condition
Multi-stemmed

Recommendations:

None recorded..

Tree works carried out:
Combined Proactive Specification

Inspection: 02/12/2009 at: 13:18 By: MM

Conditions: Basal bark inclusion
Fair condition
Multi-stemmed

Recommendations:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120768 Id: 25

Species: Salix fragilis
Common: Willow (Crack)

Felled: No Proposed: No

Tree works: 01/03/2021 at: 14:18 By: SPL

Conditions: Good condition
Incomplete inspection - basal area
obstruction
Incomplete inspection - trunk area
obstruction

Recommendations:

None recorded..

Tree works carried out:

Sever and strip ivy up to 1 metre above ground level
(Ordered)

Inspection: 17/03/2020 at: 14:41 By: KM

Conditions: Good condition
Incomplete inspection - basal area
obstruction
Incomplete inspection - trunk area
obstruction

Recommendations:

Sever and strip ivy up to 1 metre above ground level

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 19/09/2016 at: 12:16 By: CGM

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Good condition

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/12/2009 at: 13:19 By: MM

Conditions: Good condition

Recommendations:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120772 Id: 26

Species: Salix fragilis
Common: Willow (Crack)

Felled: No Proposed: No

Tree works: 01/03/2021 at: 14:18 By: SPL

Conditions: Basal bark inclusion
Fair condition
Incomplete inspection - basal area
obstruction
Incomplete inspection - trunk area
obstruction

Recommendations:

None recorded..

Tree works carried out:

Sever and strip ivy up to 1 metre above ground level
(Ordered)

Inspection: 17/03/2020 at: 14:25 By: KM

Conditions: Basal bark inclusion
Fair condition
Incomplete inspection - basal area
obstruction
Incomplete inspection - trunk area
obstruction

Recommendations:

Sever and strip ivy up to 1 metre above ground level

Castle ... (contd)..

Carisbrooke Road ... (contd)..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 19/09/2016 at: 12:16 By: CGM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Inspection: 02/12/2009 at: 13:19 By: MM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120776 Id: 27

Species: Salix fragilis
Common: Willow (Crack)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 14:30 By: KM

Conditions: Asymmetrical crown
Basal bark inclusion
Fair condition
Wind / storm damage - lost a major
Primary branch in a stormRecommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Basal bark inclusion
Fair conditionRecommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Castle ... (contd)..

Carisbrooke Road ... (contd)..

Tree works: 19/09/2016 at: 12:16 By: CGM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 31/03/2010 at: 16:55 By: PRN

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Remove broken / lodging branch

Castle ... (contd)..

Carisbrooke Road ... (contd)..

Inspection: 02/12/2009 at: 13:20 By: MM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
Remove broken / lodging branch

Castle ... (contd)..

Carisbrooke Road ... (contd)..

Code: Sgl/120780 Id: 28

Species: Salix fragilis
Common: Willow (Crack)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 14:27 By: KM

Conditions: Fair condition
Recently pollarded - coppiced after
storm damage

Recommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification - twin stem with decay
at base

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/04/2017 at: 11:48 By: SPL

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Coppice - twin stem with decay at base

Inspection: 17/01/2017 at: 14:41 By: MM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
Coppice - twin stem with decay at base

Tree works: 19/09/2016 at: 12:16 By: CGM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Castle ... (contd)..

Carisbrooke Road ... (contd)..

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Inspection: 02/12/2009 at: 13:20 By: MM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120784 Id: 43

Species: Salix fragilis
Common: Willow (Crack)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 14:20 By: KM

Conditions: Basal bark inclusion
Fair conditionRecommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Basal bark inclusion
Fair conditionRecommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:16 By: CGM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Inspection: 02/12/2009 at: 13:21 By: MM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120788 Id: 42

Species: Salix fragilis
Common: Willow (Crack)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 14:19 By: KM

Conditions: Basal bark inclusion
Fair conditionRecommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Basal bark inclusion
Fair conditionRecommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Castle ... (contd)..

Carisbrooke Road ... (contd)..

Tree works: 19/09/2016 at: 12:16 By: CGM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Inspection: 02/12/2009 at: 13:21 By: MM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120792 Id: 39

Species: Salix fragilis
Common: Willow (Crack)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 14:15 By: KM

Conditions: Basal bark inclusion
Fair conditionRecommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Basal bark inclusion
Fair conditionRecommendations:
None recorded..Tree works carried out:
Combined Proactive Specification - x3 stems over 2x
stools

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:16 By: CGM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification - x3 stems over 2x
stools

Tree works: 17/02/2014 at: 12:25 By: SPL

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Coppice - x3 stems over 2x stools

Inspection: 15/01/2014 at: 10:10 By: MM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
Coppice - x3 stems over 2x stools

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Castle ... (contd)..

Carisbrooke Road ... (contd)..

Inspection: 02/05/2013 at: 11:32 By: MM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Inspection: 28/09/2012 at: 15:40 By: KM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
Crown reduce gardenside by - Reduce primary branches
back from garden

Inspection: 02/12/2009 at: 13:22 By: MM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120796 Id: 41

Species: Salix fragilis
Common: Willow (Crack)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 14:09 By: KM

Conditions: Basal bark inclusion
Fair conditionRecommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: Basal bark inclusion
Fair conditionRecommendations:
None recorded..Tree works carried out:
Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 19/09/2016 at: 12:16 By: CGM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Inspection: 02/12/2009 at: 13:22 By: MM

Conditions: Basal bark inclusion
Fair condition

Recommendations:
None recorded..

Castle ... (contd)..

Carisbrooke Road ... (contd)..

Code: Grp/120800 Id: G2

Species: Various species

Common: Various species

Felled: No Proposed: No

Group Info:

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 19/09/2016 at: 12:14 By: CGM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Tree works: 14/08/2013 at: 15:07 By: GAR

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Inspection: 02/12/2009 at: 13:24 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Castle ...(contd)..

Carisbrooke Road ...(contd)..

Code: Sgl/120804 Id: 40

Species: Corylus avellana
Common: Hazel (Common)

Felled: No Proposed: No

Inspection: 17/03/2020 at: 14:14 By: KM

Conditions: None recorded..

Recommendations:
None recorded..

Tree works: 31/12/2019 at: 18:00 By: MER

Conditions: None recorded..

Recommendations:
None recorded..

Tree works carried out:
Combined Proactive Specification

Castle ... (contd)..

Carisbrooke Road ... (contd)..

Tree works: 19/09/2016 at: 12:16 By: CGM

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Tree works: 14/08/2013 at: 15:08 By: GAR

Conditions: None recorded..

Recommendations:

None recorded..

Tree works carried out:

Combined Proactive Specification

Inspection: 02/05/2013 at: 11:33 By: MM

Conditions: None recorded..

Recommendations:

None recorded..

Inspection: 28/09/2012 at: 15:36 By: KM

Conditions: None recorded..

Recommendations:

Coppice



FOI Carisbrooke Road - Default analysis settings

Full tree details - FOI Carisbrooke Road

This map is reproduced from Ordnance Survey material with the permission of Her Majesty's Stationery Office (c) Crown copyright.
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings." Cambridge City Council (Licence No.

Scale	Unknown
Date	09/02/2022

